

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of)	Attorney Docket No.: KITAMU0003
)	
Toru YAMADA et al.)	Confirmation No.: 8335
)	
Serial No.: 10/549,457)	Group Art Unit: 3713
)	
Filed: September 14, 2005)	Examiner: Unassigned
)	
For: PUTTING STROKE ANALYZER AND)	Date: June 12, 2006
PUTTER FOR USE THEREIN)	

REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT

**ATTN: Office of Initial Patent Examination's
Filing Receipt Corrections**
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

An error was noted upon review of the Official Filing Receipt, and, accordingly it is respectfully requested that a corrected Official Filing Receipt be promptly forwarded to the undersigned attorney for applicant(s). Attached is a marked up filing receipt to show the correction that is needed.

In the Domestic Priority section:

Please delete "16540" and insert therefore -- 16450 --.

It is believed that no fee is required with the filing of this paper, however, should the filing of this paper necessitate a fee, the Director is hereby authorized to charge the necessary fee to Deposit Account No. 50-1281.

Respectfully submitted,

GRIFFIN & SZIPL, P.C.



Joerg-Uwe Szipl
Registration No. 31,799

GRIFFIN & SZIPL, P.C.
Suite PH-1
2300 Ninth Street, South
Arlington, VA 22204

Telephone: (703) 979-5700
Facsimile: (703) 979-7429
Email: gands@szipl.com
Customer No.: 24203